

# 2025 RANGER XP 1000 Premium Sunset Red



## Key Specifications

**82**

HP

**62.5"**

WIDTH

**14"**

GROUND CLEARANCE

## ENGINE & DRIVETRAIN

Cooling	Liquid
Cylinders Displacement	999cc
Drive System Type	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
Engine Braking System (EBS)	Not Equipped
Engine Type	ProStar 4-Stroke Twin Cylinder DOHC
Fuel System/Battery	Electronic Fuel Injection
Horsepower	82 HP
Transmission/Final Drive	Gen 2 Automatic PVT H/L/N/R/P; Shaft

## DIMENSIONS

Bed Box Dimensions (L x W x H)	36.75 x 54.25 x 12.5 in (93.3 x 137.8 x 31.75 cm)
Box Capacity	1000 lbs (454 kg) CA Models: 600 lbs (272 kg)
Estimated Dry Weight	1,684 lb (764 kg)
Fuel Capacity	11.5 gal (43.5 L)
Ground Clearance	14 in (36 cm)
GVW	3600 lbs (1633 kg)
Hitch Towing Rating	2,500 lb (1,134 kg)
Hitch Type	Standard 2 in (5 cm) Receiver
Overall Vehicle Size (L x W x H)	120 x 62.5 x 79.5 in. (305 x 158 x 201 cm)
Payload Capacity	1500 lbs (680 kg) CA Models: 1100 lbs (499 kg)
Person Capacity	3

<b>Water Fording Height</b>	Equal to the Floorboards
<b>Wheelbase</b>	81 in (206 cm)

## BRAKES

<b>Front/Rear Brakes</b>	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers
<b>Parking Brake</b>	Park In-Transmission

## ADDITIONAL SPECIFICATIONS

<b>Adjustable Driver Seat</b>	Standard
<b>Audio System</b>	Not Equipped
<b>Cargo System</b>	Lock & Ride®
<b>Color / Graphics</b>	Sunset Red
<b>Electronic Power Steering</b>	High Output EPS
<b>Instrumentation</b>	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, DC Outlet, USB Charge Port, Automatic Speed Limiting in 2 mph increments starting at 16 mph to max speed.
<b>Lighting</b>	Dual LED Headlights, 1250lm Low Beam, 2300lm High Beam, Dual LED Tail Lights
<b>Other Standard Features</b>	Front Bumper with Integrated Winch, Plow & LED Mounts, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Polaris HD 4500 lb Synthetic Rope Winch with Autostop and Wireless Remote, Factory-Installed Poly Sport Roof, Single Latch Cab Nets, Polaris Pulse Electrical System (6 position), 12V Accessory Outlet, Battery Trickle-Charging Outlet, USB Outlet
<b>RIDE COMMAND+</b>	Available as Accessory
<b>Tilt Steering</b>	Standard

## TIRES / WHEELS

<b>Front Tires</b>	29 x 9-14; PRO ARMOR X-TERRAIN
<b>Rear Tires</b>	29 x 11-14; PRO ARMOR X-TERRAIN
<b>Tire Ply Rating</b>	8-Ply Rated
<b>Wheels</b>	Aluminum

## SUSPENSION

<b>Front Suspension</b>	Dual A-Arm, 10 in (25.4 cm)
<b>Rear Suspension</b>	Dual A-Arm IRS, 10 in (25.4 cm)
<b>Turning Radius</b>	13 ft. (4.0 m)

