

2025 RANGER CREW XP 1000 NorthStar Trail Boss Edition White Crystal



Key Specifications

82

HP

65"

WIDTH

14"

GROUND CLEARANCE

ENGINE & DRIVETRAIN

Cooling	Liquid
Cylinders Displacement	999cc
Drive System Type	High Performance On-Demand True AWD/2WD/VersaTrac Turf Mode
Engine Braking System (EBS)	Engine Braking System (EBS) and Active Descent Control (ADC)
Engine Type	4-Stroke Twin Cylinder DOHC
Fuel System/Battery	Electronic Fuel Injection
Horsepower	82 HP
Transmission/Final Drive	Automatic PVT H/L/N/R/P; Shaft

DIMENSIONS

Bed Box Dimensions (L x W x H)	36.75 x 54.25 x 12.5 in (93.3 x 137.8 x 31.75 cm)
Box Capacity	1,000 lbs (453.6 kg); California 600 lb (272.2 kg)
Estimated Dry Weight	2,430 lb (1,103 kg)
Fuel Capacity	11.5 gal (43.5 L)
Ground Clearance	14 in (35.6 cm)
GVW	3,750 lb (1,700.9 kg)
Hitch Towing Rating	2,500 lb (1,134 kg)
Hitch Type	Standard 2 in (5 cm) Receiver
Overall Vehicle Size (L x W x H)	152 x 65 x 79.5 in. (386 x 165 x 201 cm)
Payload Capacity	1,150 lb. (521.6 kg); California 1,150 lb. (521.6 kg)

Person Capacity	6
Water Fording Height	Equal to the Floorboards
Wheelbase	113 in (287 cm)

BRAKES

Front/Rear Brakes	4-Wheel Hydraulic Disc with Dual-Bore Front Calipers
Parking Brake	Park In-Transmission

ADDITIONAL SPECIFICATIONS

Adjustable Driver Seat	Standard
Audio System	JBL Trail Pro 2000 Audio
Cargo System	Lock & Ride®
Color / Graphics	White Crystal
Electronic Power Steering	Standard
Instrumentation	7" Display Powered by RIDE COMMAND: Plow Mode, Group Ride, GPS Navigation, Bluetooth, AM/FM Radio; Factory Rear Camera; Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder, 2 DC Outlets, USB Charge Port
Lighting	Dual LED Headlamps, 1250lm Low Beam, 2300lm High Beam, Dual LED Taillamps
Other Standard Features	Polaris HD 4,500 Lb. Synthetic Rope Winch with Autostop and Wireless Remote, Arched A-Arms, Nivomat Self-Leveling Suspension, Polaris Engine Braking System with Active Descent Control, Premium Pro-Shield Cab, Doors with Power Windows, Tip-Out Glass Windshield with Wiper, Rear Glass Panel, Dome Light, Rearview Mirror, Heat, AC, Defrost, Premium Cut & Sew Seats with Contoured Seatbacks and Embroidered Polaris Branding, Premium Steering Wheel and Interior Accents, Polaris Pulse Electrical System with 6-Position Underhood Busbar and 6-Position Roof Busbar, Standard In-Dash SAE Charge Port, 12V Cargo Box Power Port, Rear Work Light, Overhead Switch Panel, NorthStar Badge
RIDE COMMAND+	Factory-Installed
Tilt Steering	Standard

TIRES / WHEELS

Front Tires	29 x 9-14; PRO ARMOR X-TERRAIN
Rear Tires	29 x 11-14; PRO ARMOR X-TERRAIN
Tire Ply Rating	8 Ply Rated
Wheels	14" Aluminum

SUSPENSION

Front Suspension	Independent, Arched Lower A-Arms, 10 in (25.4 cm) of Travel
Rear Suspension	Independent, Arched Lower A-arms, Nivomat Load-Adaptive, 10" (25.4 cm) of Travel
Turning Radius	17.5 ft. (5.4 m)