

2025 RZR Pro R 4 Sport Storm Gray



Key Specifications

225
HP

74"
WIDTH

16"
CLEARANCE

ENGINE & DRIVETRAIN

Cooling	Liquid
Cylinders Displacement	1997cc
Drive System Type	Pro Performance True 2WD/4WD/4WD Lock
Engine Braking System (EBS)	Not Equipped
Engine Type	4-Stroke DOHC Inline Four Cylinder
Fuel System/Battery	Electronic Fuel Injection
Horsepower	225 HP
Transmission/Final Drive	Automatic PVT P/R/N/L/H

DIMENSIONS

Bed Box Dimensions (L x W x H)	29.5 x 23.8 x 8.1 in (75 x 60.5 x 20.6 cm)
Box Capacity	300 lb (136.1 kg)
Estimated Dry Weight	2,441 lbs (1,107 kg)
Fuel Capacity	12.30 gal (46.56 L)
Ground Clearance	16 in (40.6 cm)
Hitch Towing Rating	N/A
Overall Vehicle Size (L x W x H)	165.5 x 74 x 76.5" (420 x 188 x 194 cm)
Payload Capacity	900 lb (408 kg)
Wheelbase	133.5 in (339.1cm)

BRAKES

Front/Rear Brakes

	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor
Parking Brake	Park In-Transmission

ADDITIONAL SPECIFICATIONS

Audio	Not Equipped, Accessory Options Available
Cargo System	Lock & Ride®; Convertible Fold Flat Rear Seat Storage with Integrated Tie Down Points, 27.7 x 52.8 x 19.5 in (70.4 x 134.1 x 49.53 cm) Factory Equipped Cargo Liner
Charging System	High Output 1700w charging system @ 3,000 RPM
Doors	Front & Rear Full Doors
Electronic Power Steering	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack
Hitch Type	Not Equipped
Instrumentation	Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, Front and Rear DC Outlet, Polaris P.A.S.S Anti-Theft System
Lighting	Signature White LED, Low/High & Red LED Tail/Brake Lights
Seat Type	Color-Matched, Front Bolstered Bucket Seats with 4-Way Adjustability (Including 6 in front to Back Toolless Seat Sliders with Tilt Adjustability) and Retractable Click-6 Harnesses, Rear Stadium Style Seating with Non-Retractable 6-Point Harnesses

TIRES / WHEELS

Front Tires	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Rear Tires	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Wheels	5-Lug, 15" Cast Aluminum Rim

SUSPENSION

Electronic Suspension Control System	N/A
Front Shocks	2.5 in Walker Evans Velocity Needle Shock with 16-Position Adjustable Clickers
Front Suspension	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar and 27.0 in (68.6 cm) *Usable Travel, 22.25 in (56.5 cm) Wheel Travel, Unitized Hubs
Rear Shocks	3.0 in Walker Evans Velocity Needle Shock with 16-Position Adjustable Clickers
Rear Suspension	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods, and 3 Piece Stabilizer Bar and 29.0 in (73.7 cm) *Usable Travel, 24.5 in (62.2 cm) Wheel Travel, Unitized Hubs

