

2025 RZR Pro S Premium Orange Burst / Zenith Blue



Key Specifications

181 HP	74" STANCE	28" TRAVEL
------------------	----------------------	----------------------

ENGINE & DRIVETRAIN

Cooling	Liquid
Cylinders Displacement	925cc
Drive System Type	Isolated Xtreme Performance True On-Demand AWD/2WD
Engine Braking System (EBS)	Not Equipped
Engine Type	4-Stroke DOHC Twin Cylinder Turbocharged
Fuel System/Battery	Electric Fuel Injection
Horsepower	181 HP
Transmission/Final Drive	Automatic PVT P/R/N/L/H

DIMENSIONS

Bed Box Dimensions (L x W x H)	26 x 17.7 x 11.5 in (66 x 45 x 29.2 cm)
Box Capacity	300 lb (136 kg)
Estimated Dry Weight	2,028 lbs (920 kg)
Fuel Capacity	12 gal (45.4 L)
Ground Clearance	16" (40.6 cm)
Hitch Towing Rating	N/A
Overall Vehicle Size (L x W x H)	128 x 74 x 74.4 in (325 x 188 x 189 cm)
Payload Capacity	730 lb (331 kg)
Wheelbase	96 in (244 cm)

BRAKES

Front/Rear Brakes	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor
Parking Brake	Park In-Transmission

ADDITIONAL SPECIFICATIONS

Audio	Not Equipped, Accessory Options Available
Cargo System	Lock & Ride
Charging System	High Output 900w charging system @ 3,000 RPM
Doors	Full Doors
Electronic Power Steering	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel; RIDE COMMAND Push Button Controls
Hitch Type	Not Equipped
Instrumentation	RIDE COMMAND® 7" Glove-Touch Display: Built-In GPS, Group ride (cell-based or GPS based), Topographic Mapping, Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio (Accessory Speakers Required - Sold Separately), In-Vehicle Communications Capable With Optional Sena Headsets, Polaris P.A.S.S Anti-Theft System. Dual-sweep Analog Dials w/ 4" LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals. Digital Instrumentation: Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet
Lighting	White LED Low/High & Red LED Tail / Brake Lights
Seat Type	Bolstered Bucket Seats with 4-way adjustability (including 6" front to back toolless seat slider with tilt adjustability) and Sub-Zero 4-Point Harnesses

TIRES / WHEELS

Front Tires	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Rear Tires	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Wheels	15" Cast Aluminum Rim with 5-Lug Pattern

SUSPENSION

Electronic Suspension Control System	Not Equipped
Front Shocks	Walker Evans® 2.5" Velocity Needle Shock with 16-Position Adjustable Clickers
Front Suspension	Light Weight Boxed Dual A-Arm with 3 Piece Stabilizer Bar and 27" (68.6 cm) Usable Travel, 22.25" (56.5 cm) Wheel Travel, Unitized Hubs
Rear Shocks	Walker Evans® 3.0" Velocity Needle Shock with 16-Position Adjustable Clickers
Rear Suspension	

Tubular Trailing Arm with Boxed Gusseting and Toe Link, and Stabilizer Bar and 28.3 in (71.9 cm)*Usable Travel, 22.4 in (56.9 cm) Wheel Travel, Unitized Hubs