

GENERAL XP 4 1000 Ultimate Super Graphite



Key Specifications

100	64"	13.5"
HP	WIDTH	GROUND CLEARANCE

ENGINE & DRIVETRAIN

Cooling	Liquid
Cylinders Displacement	999 cc
Drive System Type	On-demand true AWD/2WD/VersaTrac Turf Mode
Driveline Features	EDA: engine deceleration assist
Engine Type	4-stroke DOHC twin cylinder
Fuel System/Battery	Electronic fuel injection
Horsepower	100
Transmission/Final Drive	Automatic PVT P/R/N/L/H

DIMENSIONS

Bed Box Dimensions (L x W x H)	27.5 x 43.1 x 11.6" (69.8 x 109 x 29.5 cm)
Box Capacity	600 lbs. (272 kg) rear dumping box
Curb Weight	2,128 lbs. (965 kg) CA 2,141 lbs. (971 kg)
Estimated Dry Weight	1,997 lbs. (906 kg) CA 2,011 lbs. (912 kg)
Fuel Capacity	9.5 gal (35.9 L)
Ground Clearance	13.5" (34.3 cm)
Hitch Type	Standard 2" (5.08 cm) receiver
Overall Vehicle Size (L x W x H)	150.2 x 64 x 77" (381.5 x 162.5 x 195.1 cm)
Payload Capacity	1,100 lbs. (499 kg)
Person Capacity	4
Towing Capacity	1,500 lbs. (680 kg)

Turning Radius	19.5 ft (5.9 m)
Wheelbase	115" (292 cm)

BRAKES

Front/Rear Brakes	4-wheel hydraulic disc with dual-bore front and rear calipers
Parking Brake	Park in-transmission

TECHNOLOGY

Audio System	Rockford Fosgate® Stage 3 audio: (2) 6.5" 50-W front co-axial speakers, and (2) 6.5" 50-W rear co-axial speakers, 4-channel amp with fade, automatic volume level, and 5-band equalizer
Connected Vehicle Services	Not equipped
Rear Camera	Equipped
Security	Polaris P.A.S.S. anti-theft system
Touch Screen Display	7" Display, powered by RIDE COMMAND, featuring: digital instrumentation, built-in GPS, mapping, vehicle-to-vehicle with group ride, follow the leader, and messaging. Bluetooth and USB smartphone connectivity, AM/FM and weather radio, and in-vehicle communications capable.

WHEELS & TIRES

Front Tires	30 x 10-15; Pro Armor Crawler XGF
Rear Tires	30 x 10-15; Pro Armor Crawler XG
Tire Ply Rating	8-ply front and rear
Wheels	15" aluminum

SUSPENSION

Electronic Suspension Control System	Not equipped
Front Shocks	Walker Evans Velocity Series shocks
Front Suspension	Long-travel, high-clearance dual A-arm with stabilizer bar, 14" (35.6 cm) travel
Rear Shocks	Walker Evans Velocity Series shocks
Rear Suspension	Long-travel, high-clearance dual-arm IRS with stabilizer bar, 14" (35.6 cm) travel

EXTERIOR FEATURES

Cargo System	Lock & Ride
Door Type	Premium half doors
Vehicle Protection	Sport low-profile front bumper

Winch	POLARIS HD 4,500-lbs. Winch with synthetic rope, aluminum fairlead, rubber isolator Auto Stop and Plow
-------	--

LIGHTING & ELECTRICAL

Electrical System	DC outlet
Lighting	LED headlight with accent and LED taillights

COMFORT & CONVENIENCE

Cab Components	ProFit sport roof, convex rearview mirror, padded console
Driver Instrumentation	Dual-sweep analog dials with 4" LCD rider information center: user-selectable blue/red backlighting & brightness, programmable service intervals, speedometer, tachometer, odometer, tripmeter, clock, hour meter, gear indicator, fuel gauge, coolant temperature, voltmeter, service indicator and codes, seat belt reminder light, gear indicator
Electronic Power Steering	High-output EPS
Heat and/or Air Conditioning	Not equipped
Ride Control	Not equipped
Seat Type	Bolstered bucket seats with driver seat slider and height-adjustable seat belts
Speed Limiting	Not equipped
Steering	Adjustable tilt steering