

Polaris XPEDITION ADV 5 NorthStar

Matte Super Graphite



Key Specifications

114	64"	14"
HP	WIDTH	GROUND CLEARANCE

ENGINE & DRIVETRAIN

Cooling	Liquid
Cylinders Displacement	999 cc
Drive System Type	On-demand true AWD/2WD/VersaTrac Turf Mode
Engine Type	ProStar 1000 4-stroke DOHC twin cylinder
Fuel System/Battery	Electronic fuel injection
Horsepower	114
Transmission/Final Drive	Automatic PVT P/R/N/L/H

DIMENSIONS

Bed Box Dimensions (L x W x H)	36.2 x 47.25 x 13.38" (92 x 120 x 34 cm)
Box Capacity	600 lbs. (272 kg) Bed
Curb Weight	2,913 lbs. (1,321 kg) CA 2,924 lbs. (1,326 kg)
Estimated Dry Weight	2,787 lbs. (1,264 kg) CA 2,798 lbs. (1,269 kg)
Fuel Capacity	12.5 gal (47.3 L)
Ground Clearance	14" (35.6 cm)
Hitch Type	Standard / 2" receiver
Overall Vehicle Size (L x W x H)	152.5 x 64 x 74.9"
Payload Capacity	1,160 lbs. (526 kg)
Person Capacity	5
Towing Capacity	2,000 lbs. (907 kg)
Turning Radius	20.4' (6.2m)

Wheelbase	117"
-----------	------

BRAKES

Front/Rear Brakes	4-wheel hydraulic disc with dual-bore front and rear calipers
Parking Brake	Park in-transmission

TECHNOLOGY

Audio System	JBL Trail Pro 4100. 400-W 10" subwoofer, (2) 45W 6" stadium speakers, 200-W amp
Connected Vehicle Services	Free three-year subscription of RIDE COMMAND+ included with purchase of a factory installed vehicle
Rear Camera	Equipped
Security	Polaris P.A.S.S. anti-theft system
Touch Screen Display	7" Display, powered by RIDE COMMAND and telematic unit

WHEEL & TIRES

Front Tires	30 x 10-15; Pro Armor Trekker
Rear Tires	30 x 11-15; Pro Armor Trekker
Tire Ply Rating	8-ply front and rear
Wheels	15" Cast Aluminum

SUSPENSION

Electronic Suspension Control System	Not Equipped
Front Shocks	FOX 2.0 Podium QS3 with position-sensitive spiral technology
Front Suspension	Long Travel, High Clearance Dual A-Arm with Stabilizer Bar, 14" (35.6 cm) Travel
Rear Shocks	FOX 2.0 Podium QS3 with position-sensitive spiral technology
Rear Suspension	Long-travel, high-clearance dual A-arm with stabilizer bar, 15" (38.1) travel

EXTERIOR FEATURES

Cargo System	Lock & Ride MAX
Door Type	Full power-window doors standard
Vehicle Protection	Front bull bumper, full-coverage skid plate
Winch	POLARIS HD 4500 LB Winch w/ Rope, Rubber stopper and Aluminum Fairlead, Auto Stop & Plow Mode

LIGHTING & ELECTRICAL

--

Electrical System	140a alternator charging system
Lighting	LED headlight with accent and LED taillights

COMFORT & CONVENIENCE

Cab Components	Enclosed cab and cargo box, ProFit sport roof, convex rearview mirror
Driver Instrumentation	Driver forward information center with 4" color display, rotary speedometer and tachometers, and center dash
Electronic Power Steering	High-output EPS
Heat and/or Air Conditioning	Heat and air conditioning with temperature and zone control
Ride Control	Not equipped
Seat Type	Front: bolstered bucket seats with driver and passenger seat slider, Rear: bolstered 60/40-split flip-up and fold down bench seat
Speed Limiting	Not equipped
Steering	Tilt & telescoping