RANGER XP 1000 Premium Polaris Pursuit Camo



Key Specifications

82 HP 62.5"

WIDTH

14"

GROUND CLEARANCE

ENGINE & DRIVETRAIN

| Cooling | Liquid |
|--------------------------|---|
| Cylinders Displacement | 999 cc |
| Drive System Type | Selectable on-demand all-wheel drive, AWD/2WD/VersaTrac Turf Mode |
| Engine Type | 4-stroke twin cylinder DOHC |
| Fuel System/Battery | Electronic fuel injection |
| Horsepower | 82 |
| Transmission/Final Drive | 29 x 11-14; Pro Armor X Terrain with e-mark |

DIMENSIONS

| Bed Box Dimensions (L x W x H) | 36.7 x 54.2 x 12.5" (93 x 138 x 32 cm) |
|----------------------------------|--|
| Box Capacity | 1,000 lbs. (454 kg) CA Models: 600 lbs. (272 kg) |
| Curb Weight | 1,818 lbs. (825 kg) |
| Estimated Dry Weight | 1,693 lbs. (768 kg) |
| Fuel Capacity | 11.5 gal (43.5 L) |
| Ground Clearance | 14"(36 cm) |
| Hitch Type | Standard 2"(5 cm) receiver |
| Overall Vehicle Size (L x W x H) | 120 x 62.5 x 78" (305 x 159 x 193 cm) |
| Overall Vehicle Size (L x W x H) | 120 × 62.5 × 79.5" (305 × 158 × 201 cm) |
| Payload Capacity | 1,500 lbs. (680 kg) CA Models: 1,100 lbs, (499 kg) |
| Person Capacity | 3 |
| Towing Capacity | 2,500 lbs. (1,134 kg) |
| | |

MacGyver Solutions Inc cage: 7JP09 duns: 080019034 UEI# JKVNT2ZWLA44

| Turning Radius | 13 ft (4 m) |
|----------------|--------------|
| Wheelbase | 81" (206 cm) |

BRAKES

| Front/Rear Brakes | 4-wheel hydraulic disc with dual-bore front and rear calipers |
|-------------------|---|
| Parking Brake | Park in-transmission |

TECHNOLOGY

| Audio System | Not equipped, accessory options available |
|----------------------------|---|
| Connected Vehicle Services | Not equipped, accessory options available |
| Security | Polaris P.A.S.S. anti-theft system |
| Touch Screen Display | Not equipped, accessory options available |

WHEELS & TIRES

| Front Tires | 29 x 9-14; Pro Armor X Terrain |
|-----------------|---------------------------------|
| Rear Tires | 29 x 11-14; Pro Armor X Terrain |
| Tire Ply Rating | 8-ply |
| Wheels | 12" aluminum |

SUSPENSION

| Front Suspension | Dual A-arm, 10" (25.4 cm) travel |
|------------------|----------------------------------|
| Rear Suspension | Dual A-arm, 10" (25.4 cm) travel |

EXTERIOR FEATURES

| Cargo System | Gas-assist dump box with Lock & Ride accessory integration |
|--------------------|---|
| Door Type | Cab nets |
| Vehicle Protection | Large steel bumper, full-coverage skid plate, A-arm guards |
| Winch | 4,500-lbs. Winch with synthetic rope, Auto Stop and wireless remote |

LIGHTING & ELECTRICAL

| Electrical System | 660-W charging system, Polaris Pulse electrical system (3-position), 12V accessory outlet, battery trickle-charging port |
|-------------------|--|
| Lighting | Dual LED headlights, 1,250-lm low beam, 2,300-lm high beam, dual LED taillights |

COMFORT & CONVENIENCE

| Cab Components | Roof |
|----------------|------|
| | |

MacGyver Solutions Inc

cage: 7JP09 duns: 080019034 UEI# JKVNT2ZWLA44

| Driver Instrumentation | Dual-sweep analog dials with 4" LCD rider information center: user selectable blue/red backlighting and brightness, passcode protection, programmable service intervals, speedometer, programmable speed limiting, tachometer, odometer, tripmeter, clock, hour meter, gear indicator, fuel gauge, coolant temperature, voltmeter, service indicator and codes, seat belt reminder |
|---------------------------|--|
| Electronic Power Steering | High-output EPS |
| Seat Type | 3-person bolstered bench seat with 3-point harness and adjustable driver seat |
| Speed Limiting | Speed limiting controlled in gauge |
| Steering | Tilt adjustment |