

RANGER CREW XP 1000 Texas Edition

Black Crystal



Key Specifications

| | | |
|----|-------|------------------|
| 82 | 62.5" | 14" |
| HP | WIDTH | GROUND CLEARANCE |

ENGINE & DRIVETRAIN

| | |
|--------------------------|---|
| Cooling | Liquid |
| Cylinders Displacement | 999 cc |
| Drive System Type | Selectable on-demand all-wheel drive, AWD/2WD/VersaTrac Turf Mode |
| Engine Type | 4-stroke twin cylinder DOHC |
| Fuel System/Battery | Electronic fuel injection |
| Horsepower | 82 |
| Transmission/Final Drive | Gen 2 Automatic PVT H/L/N/R/P; shaft |

DIMENSIONS

| | |
|----------------------------------|---|
| Bed Box Dimensions (L x W x H) | 36.7 x 54.2 x 12.5" (93 x 138 x 32 cm) |
| Box Capacity | 1,000 lbs. (454 kg) |
| Curb Weight | 2,143 lbs. (972 kg) |
| Estimated Dry Weight | 2,018 lbs. (915 kg) |
| Fuel Capacity | 11.5 gal (43.5 L) |
| Ground Clearance | 14" (36 cm) |
| Hitch Type | Standard 2" (5 cm) receiver |
| Overall Vehicle Size (L x W x H) | 152 x 62.5 x 79.5" (386 x 158 x 201 cm) |
| Payload Capacity | 1,600 lbs. (726 kg) |
| Person Capacity | 6 |
| Towing Capacity | 2,500 lbs. (1,134 kg) |
| Turning Radius | 17.5 ft (5.3 m) |

| | |
|-----------|---------------|
| Wheelbase | 113" (287 cm) |
|-----------|---------------|

BRAKES

| | |
|-------------------|---|
| Front/Rear Brakes | 4-wheel hydraulic disc with dual-bore front and rear calipers |
| Parking Brake | Park in-transmission |

TECHNOLOGY

| | |
|----------------------------|---|
| Audio System | Not equipped, accessory options available |
| Connected Vehicle Services | Not equipped, accessory options available |
| Rear Camera | Not equipped |
| Security | Polaris P.A.S.S. anti-theft system |
| Touch Screen Display | Not equipped, accessory options available |

WHEELS & TIRES

| | |
|-----------------|---------------------------------|
| Front Tires | 29 x 9-14; Pro Armor X Terrain |
| Rear Tires | 29 x 11-14; Pro Armor X Terrain |
| Tire Ply Rating | 8-ply |
| Wheels | 14" aluminum |

SUSPENSION

| | |
|------------------|---|
| Front Suspension | Dual arched A-arm, 10" (25.4 cm) travel |
| Rear Suspension | Dual arched A-arm, 10" (25.4 cm) travel |

EXTERIOR FEATURES

| | |
|--------------------|---|
| Cargo System | Gas-assist dump box with Lock & Ride accessory integration |
| Door Type | Cab nets |
| Vehicle Protection | Large steel bumper, full-coverage skid plate |
| Winch | 4,500 LB Winch with synthetic rope, Auto Stop and wireless remote |

LIGHTING & ELECTRICAL

| | |
|-------------------|--|
| Electrical System | 660-W charging system, Polaris Pulse electrical system (3-position), 12V accessory outlet, battery trickle-charging port |
| Lighting | Dual LED headlights, 1,250-lm low beam, 2,300-lm high beam, dual LED taillights |

COMFORT & CONVENIENCE

| | |
|----------------|------|
| Cab Components | Roof |
|----------------|------|

| | |
|------------------------------|--|
| Driver Instrumentation | Dual-sweep analog dials with 4" LCD rider information center: user selectable blue/red backlighting and brightness, passcode protection, programmable service intervals, speedometer, programmable speed limiting, tachometer, odometer, tripmeter, clock, hour meter, gear indicator, fuel gauge, coolant temperature, voltmeter, service indicator and codes, seat belt reminder |
| Electronic Power Steering | High-output EPS |
| Heat and/or Air Conditioning | Not equipped |
| Seat Type | 6-person, dual-row, bolstered bench seats with 3-point harness and adjustable driver seat |
| Speed Limiting | Speed limiting controlled in gauge |
| Steering | Tilt adjustment |