

RANGER CREW 1000 Premium Polaris

Pursuit Camo



Key Specifications

61	62.5"	12.5"
HP	WIDTH	GROUND CLEARANCE

ENGINE & DRIVETRAIN

Cooling	Liquid
Cylinders Displacement	999 cc
Drive System Type	Selectable on-demand all-wheel drive, AWD/2WD/VersaTrac Turf Mode
Driveline Features	Not equipped
Engine Type	4-stroke twin cylinder DOHC
Fuel System/Battery	Electronic fuel injection
Horsepower	61
Transmission/Final Drive	Gen 2 Automatic PVT H/L/N/R/P; shaft

DIMENSIONS

Bed Box Dimensions (L x W x H)	36.7 x 54.2 x 12.5" (93 x 138 x 32 cm)
Box Capacity	1,000 lbs. (454 kg) CA Models: 600 lbs. (272 kg)
Curb Weight	2022 lbs. (917 kg)
Estimated Dry Weight	1,897 lbs. (860 kg)
Fuel Capacity	11.35 gal (43 L)
Ground Clearance	12.5" (31.75 cm)
Hitch Type	Standard 2" (5 cm) receiver
Overall Vehicle Size (L x W x H)	152 x 62.5 x 78" (305 x 159 x 193 cm)
Payload Capacity	1,700 lbs. (771 kg) CA Models: 1,350 lbs. (612 kg)
Person Capacity	6
Towing Capacity	2,500 lbs. (1,134 kg)

Turning Radius	17 ft (5.2 m)
Wheelbase	113" (287 cm)

BRAKES

Front/Rear Brakes	4-wheel hydraulic disc with dual-bore front and rear calipers
Parking Brake	Park in-transmission

TECHNOLOGY

Audio System	Not equipped, accessory options available
Connected Vehicle Services	Not equipped, accessory options available
Rear Camera	Not equipped
Security	Not equipped
Touch Screen Display	Not equipped, accessory options available

WHEELS & TIRES

Front Tires	26 x 9-12; PXT 2.0
Rear Tires	26 x 11-12; PXT 2.0
Tire Ply Rating	6-Ply
Wheels	12" aluminum

SUSPENSION

Front Suspension	Dual A-arm, 10" (25.4 cm) travel
Rear Suspension	Dual A-arm, 10" (25.4 cm) travel

EXTERIOR FEATURES

Cargo System	Gas-assist dump box with Lock & Ride accessory integration
Door Type	Cab nets
Vehicle Protection	Large steel bumper, full-coverage skid plate, A-arm guards
Winch	Polaris HD 4,500-lbs. Winch with synthetic rope, Auto Stop and wireless remote

LIGHTING & ELECTRICAL

Electrical System	660-W charging system, Polaris Pulse electrical system (3-position), 12V accessory outlet, battery trickle-charging port
Lighting	Dual LED headlights, 600-lm low beam, 1,000-lm high beam, dual LED taillights

COMFORT & CONVENIENCE

Cab Components	Roof
Driver Instrumentation	4" LCD rider information center: user selectable blue/red backlighting and brightness, programmable service intervals, speedometer, tachometer, odometer, tripmeter, clock, hour meter, gear indicator, fuel gauge, coolant temperature, voltmeter, service indicator and codes, seat belt reminder
Electronic Power Steering	High-output EPS
Heat and/or Air Conditioning	Not equipped
Seat Type	6-person, dual-row, bolstered bench seats with 3-point harness and adjustable driver seat
Speed Limiting	Not equipped, accessory options available
Steering	Tilt adjustment