

RANGER 1000 EPS Sage Green



Key Specifications

| | | |
|----|-------|------------------|
| 61 | 62.5" | 12" |
| HP | WIDTH | GROUND CLEARANCE |

ENGINE & DRIVETRAIN

| | |
|--------------------------|-------------------------------------------------------------------|
| Cooling | Liquid |
| Cylinders Displacement | 999 cc |
| Drive System Type | Selectable on-demand all-wheel drive, AWD/2WD/VersaTrac Turf Mode |
| Driveline Features | Not equipped |
| Engine Type | 4-stroke twin cylinder DOHC |
| Fuel System/Battery | Electronic fuel injection |
| Horsepower | 61 |
| Transmission/Final Drive | Gen 2 Automatic PVT H/L/N/R/P; shaft |

DIMENSIONS

| | |
|----------------------------------|----------------------------------------------------|
| Bed Box Dimensions (L x W x H) | 36.7 x 54.2 x 12.5" (93 x 138 x 32 cm) |
| Box Capacity | 1,000 lbs. (454 kg) CA Models: 600 lbs. (272 kg) |
| Curb Weight | 1,667 lbs. (756 kg) |
| Estimated Dry Weight | 1,542 lbs. (699 kg) |
| Fuel Capacity | 11.35 gal (43 L) |
| Ground Clearance | 12" (30.5 cm) |
| Hitch Type | Standard 2" (5 cm) receiver |
| Overall Vehicle Size (L x W x H) | 120 x 62.5 x 76" (305 x 159 x 191 cm) |
| Payload Capacity | 1,500 lbs. (680 kg) CA Models: 1,100 lbs, (499 kg) |
| Person Capacity | 3 |
| Towing Capacity | 2,500 lbs. (1,134 kg) |
| Turning Radius | 13.3 ft (4.1 m) |

BRAKES

| | |
|-------------------|---------------------------------------------------------------|
| Front/Rear Brakes | 4-wheel hydraulic disc with dual-bore front and rear calipers |
| Parking Brake | Park in-transmission |

TECHNOLOGY

| | |
|----------------------------|-------------------------------------------|
| Audio System | Not equipped, accessory options available |
| Connected Vehicle Services | Not equipped, accessory options available |
| Rear Camera | Not equipped |
| Security | Not equipped |
| Touch Screen Display | Not equipped, accessory options available |

WHEELS & TIRES

| | |
|-----------------|--------------------------|
| Front Tires | 25 x 10-12; Carlstar 489 |
| Rear Tires | 25 x 11-12; Carlstar 489 |
| Tire Ply Rating | N/A |
| Wheels | 12" steel |

SUSPENSION

| | |
|------------------|----------------------------------|
| Front Suspension | Dual A-arm, 10" (25.4 cm) travel |
| Rear Suspension | Dual A-arm, 10" (25.4 cm) travel |

EXTERIOR FEATURES

| | |
|--------------------|------------------------------------------------------------|
| Cargo System | Gas-assist dump box with Lock & Ride accessory integration |
| Door Type | Cab nets |
| Vehicle Protection | Large steel bumper, full-coverage skid plate, A-arm guards |
| Winch | Not equipped, accessory options available |

LIGHTING & ELECTRICAL

| | |
|-------------------|--------------------------------------------------------------------------------------------------------------------------|
| Electrical System | 660-W charging system, Polaris Pulse electrical system (3-position), 12V accessory outlet, battery trickle-charging port |
| Lighting | Halogen headlights, 55-W low beam, 60-W high beam, dual LED taillights |

COMFORT & CONVENIENCE

| | |
|----------------|--------------|
| Cab Components | Not equipped |
|----------------|--------------|

| | |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Driver Instrumentation | 4" LCD rider information center: user selectable blue/red backlighting and brightness, programmable service intervals, speedometer, tachometer, odometer, tripmeter, clock, hour meter, gear indicator, fuel gauge, coolant temperature, voltmeter, service indicator and codes, seat belt reminder |
| Electronic Power Steering | High-output EPS |
| Heat and/or Air Conditioning | Not equipped |
| Seat Type | 3-person bench seat with 3-point harness |
| Speed Limiting | Not equipped, accessory options available |
| Steering | Tilt adjustment |