

RZR Trail S 1000 Ultimate Sand Dune



Key Specifications

100	60"	12.5"
HP	WIDTH	GROUND CLEARANCE

ENGINE & DRIVETRAIN

Cooling	Liquid
Cylinders Displacement	999 cc
Drive System Type	High-performance true on-demand AWD/2WD
Driveline Features	Not equipped
Engine Type	4-stroke DOHC twin cylinder
Fuel System/Battery	Electronic fuel injection
Horsepower	100
Transmission/Final Drive	Automatic PVT P/R/N/L/H

DIMENSIONS

Bed Box Dimensions (L x W x H)	20.7 x 37 x 7.9" (52.5 x 94 x 20 cm)
Box Capacity	300 lbs. (136.1 kg)
Curb Weight	1,472 lbs. (668 kg)
Estimated Dry Weight	1,377 lbs (625 kg)
Fuel Capacity	9.5 gal (35.9 L)
Ground Clearance	12.5" (31.8 cm)
Hitch Type	Standard 1.25" (3.2 cm) receiver
Overall Vehicle Size (L x W x H)	110.9 x 60 x 69.3" (282 x 152.4 x 176 cm)
Payload Capacity	740 lbs. (335.7 kg)
Person Capacity	2
Towing Capacity	1,500 lbs. (680 kg)
Wheelbase	79" (200.7 cm)

BRAKES

Front/Rear Brakes	4-wheel hydraulic disc with dual-bore front and rear calipers
Parking Brake	Park in-transmission

TECHNOLOGY

Audio System	Rockford Fosgate® Stage 2 audio
Connected Vehicle Services	Not equipped
Rear Camera	Equipped
Security	Polaris P.A.S.S. anti-theft system
Touch Screen Display	7" Display, powered by RIDE COMMAND, featuring: built-in GPS, Group Ride (cell and non-cell communications), topographic mapping, Bluetooth and USB smartphone connectivity

WHEELS & TIRES

Front Tires	27 x 9-12"
Rear Tires	27 x 11-12"
Tire Ply Rating	6-Ply
Wheels	Cast aluminum

SUSPENSION

Electronic Suspension Control System	Not equipped
Front Shocks	2" Walker Evans needle shocks with 16-position adjustable clickers
Front Suspension	Dual A-arm with stabilizer bar and 12.25" (31.1 cm) wheel travel
Rear Shocks	2" Walker Evans needle shocks with 16-position adjustable clickers
Rear Suspension	Dual A-arm with stabilizer bar and 13.2" (33.5 cm) wheel travel

EXTERIOR FEATURES

Cargo System	Lock & Ride
Door Type	Half doors, roof
Vehicle Protection	Not equipped
Winch	Not equipped

LIGHTING & ELECTRICAL

Electrical System	560-W Charging System @ 6000 RPM, 3-Position Pulse Bar
Lighting	Signature RZR Fang Accent Lighting, signature white LED low/high Red LED tail/brake lights

COMFORT & CONVENIENCE

Cab Components	Half doors, poly roof
Drive Modes	Not equipped
Driver Instrumentation	Dual-sweep analog dials with 4" LCD rider information center: user-selectable blue/red backlighting & brightness, programmable service intervals, speedometer, tachometer, odometer, tripmeter, clock, hour meter, gear indicator, fuel gauge, coolant temperature, voltmeter, service indicator and codes, seat belt reminder light, gear indicator, DC outlet + 12V power plug
Electronic Power Steering	Equipped
Heat and/or Air Conditioning	Not equipped
Ride Control	Not equipped
Seat Type	Bolstered bucket seats with tool-less driver seat slider and standard passenger seat slider (tool required for adjustment on passenger seat)
Speed Limiting	Not equipped
Steering	Adjustable tilt steering