

RZR Pro S Ultimate Slate Gray



Key Specifications

181	74"	16"
HP	WIDTH	GROUND CLEARANCE

ENGINE & DRIVETRAIN

Cooling	Liquid
Cylinders Displacement	925 cc
Drive System Type	Isolated Xtreme Performance true on-demand AWD/2WD
Driveline Features	Not equipped
Engine Type	4-stroke DOHC twin-cylinder turbocharged
Fuel System/Battery	Electronic fuel injection
Horsepower	181
Transmission/Final Drive	Automatic PVT P/R/N/L/H

DIMENSIONS

Bed Box Dimensions (L x W x H)	26 x 17.7 x 11.5" (66 x 45 x 29.2 cm)
Box Capacity	300 lbs. (136.1 kg)
Curb Weight	1,893 lbs. (859kg) CA 1,900 lbs. (862 kg)
Estimated Dry Weight	1,803 lbs. (818kg) CA 1,810 lbs. (821 kg)
Fuel Capacity	12 gal. (45.4 L)
Ground Clearance	16" (40.6 cm)
Hitch Type	Not Equipped
Overall Vehicle Size (L x W x H)	128 x 74 x 74.4" (325 x 188 x 189 cm)
Payload Capacity	730 lbs. (331 kg)
Person Capacity	2
Towing Capacity	N/A
Wheelbase	96" (244 cm)

## BRAKES

Front/Rear Brakes	4-wheel hydraulic disc with triple-bore front and dual-bore rear calipers; aluminum top hat rotor
Parking Brake	Park in-transmission

## TECHNOLOGY

Audio System	Factory-tuned and integrated Rockford Fosgate Stage 4 audio system with RIDE COMMAND source unit. Includes: (2) 100-W 1" tweeters, (2) 100-W 6.5" component front speakers, (2) 100-W 6.5" coaxial rear speakers, (1) 400-W 4-channel amplifier, and (1) 10" subwoofer with an integrated 400-W subwoofer amplifier. *Audio system is IPX7- and IPX9K-water immersion tested to withstand the wet elements.
Connected Vehicle Services	Not equipped, accessory options available
Rear Camera	Equipped
Security	Polaris P.A.S.S. anti-theft system
Touch Screen Display	7" Display, powered by RIDE COMMAND, featuring: DYNAMIX 2.0 visualizer, built-in GPS, Group Ride (cell-based or GPS-based), topographic mapping, Bluetooth & USB smartphone connectivity, AM/FM & weather radio (accessory speakers required - sold separately), in-vehicle communications capable with optional Sena headsets

## WHEELS & TIRES

Front Tires	32 x 10-15" Pro Armor Trekker; wheel size 15" x 7
Rear Tires	32 x 10-15" Pro Armor Trekker; wheel size 15" x 7
Tire Ply Rating	8-ply
Wheels	15" cast aluminum rim with 5-lug pattern

## SUSPENSION

Electronic Suspension Control System	Polaris DYNAMIX 2.0 semi-active compression damping suspension system with selectable ride modes: Comfort, Sport, Firm
Front Shocks	FOX 3.0" Live Valve internal bypass with bottom-out control (electronically controlled damping)
Front Suspension	Lightweight boxed dual A-arm with 3-piece stabilizer bar and 27" (68.6 cm) usable travel, 22.25" (56.5 cm) wheel travel, unitized hubs
Rear Shocks	FOX 3.0" Live Valve internal bypass with bottom-out control (electronically controlled damping)
Rear Suspension	Tubular trailing arm with boxed gusseting and toe link, high-clearance radius rods, stabilizer bar, 28.3" (71.9 cm) usable travel, 22.4" (56.9 cm) wheel travel, unitized hubs

## EXTERIOR FEATURES

<b>Cargo System</b>	Lock & Ride
<b>Door Type</b>	Half doors
<b>Vehicle Protection</b>	Bull bumper
<b>Winch</b>	Not equipped

## LIGHTING & ELECTRICAL

<b>Electrical System</b>	High-output 900-W charging system @ 3,000 RPM
<b>Lighting</b>	Signature animated RZR Fang Accent Lighting; white LED low/high and red LED tail/brake lights; animated interior accent lighting.

## COMFORT & CONVENIENCE

<b>Cab Components</b>	Half doors, poly roof
<b>Drive Modes</b>	Not equipped
<b>Driver Instrumentation</b>	Driver Forward Information Center with 4" color display + rotary speedometer & tachometers, programmable service intervals, speedometer, tachometer, odometer, tripmeter, clock, hour meter, gear indicator, fuel gauge, coolant temperature, voltmeter, service indicator and codes, seat belt reminder light, gear indicator, DC outlet, Polaris P.A.S.S anti-theft system
<b>Electronic Power Steering</b>	Rack-mounted high-assist electronic power steering with quick-turn rack.
<b>Heat and/or Air Conditioning</b>	Not equipped
<b>Ride Control</b>	Not equipped
<b>Seat Type</b>	Bolstered bucket seats with driver-4-way adjustability (including 6" front-to-back tool-less seat slider with tilt adjustability) and passenger tilt adjustability; Sub-Zero 4-point harness.
<b>Speed Limiting</b>	Not equipped
<b>Steering</b>	Race-inspired steering wheel with tilt and telescoping adjustment; DYNAMIX and RIDE COMMAND push-button controls.