

RZR Pro XP Sport Sand Dune



Key Specifications

181	64"	14.5"
HP	WIDTH	GROUND CLEARANCE

ENGINE & DRIVETRAIN

Cooling	Liquid
Cylinders Displacement	925 cc
Drive System Type	Isolated Xtreme Performance true on-demand AWD/2WD
Driveline Features	Not equipped
Engine Type	4-stroke DOHC twin-cylinder turbocharged
Fuel System/Battery	Electronic fuel injection
Horsepower	181
Transmission/Final Drive	Automatic PVT P/R/N/L/H

DIMENSIONS

Bed Box Dimensions (L x W x H)	26 x 17.7 x 11.5" (66 x 45 x 29.2 cm)
Box Capacity	300 lbs. (136.1 kg)
Curb Weight	1,674 lbs (760 kg) CA 1,681 (762 kg)
Curb Weight	1,938 lbs.
Estimated Dry Weight	1,586 lbs (720 kg) CA 1,593 lbs. (723 kg)
Estimated Dry Weight	1,830 lbs. (830 kg)
Fuel Capacity	12 gal. (45.4 L)
Ground Clearance	14.5" (36.8 cm)
Hitch Type	Not Equipped
Overall Vehicle Size (L x W x H)	126 x 64 x 71.7" (320 x 162.6 x 182 cm)
Payload Capacity	740 lbs. (335.7 kg)
Person Capacity	2

Towing Capacity	N/A
Wheelbase	96" (244 cm)

BRAKES

Front/Rear Brakes	4-wheel hydraulic disc with triple-bore front and dual-bore rear calipers; aluminum top hat rotor
Parking Brake	Park in-transmission

TECHNOLOGY

Audio System	Not equipped, accessory options available
Connected Vehicle Services	Not equipped, accessory options available
Rear Camera	Not equipped
Security	Polaris P.A.S.S. anti-theft system
Touch Screen Display	Not equipped, accessory options available

WHEELS & TIRES

Front Tires	30 x 10-14; wheel size 14 x 6"
Rear Tires	30 x 10-14; wheel size 14 x 7"
Tire Ply Rating	8-ply
Wheels	14" cast aluminum rim with 4-lug pattern

SUSPENSION

Electronic Suspension Control System	Not equipped
Front Shocks	2" FOX shocks with position-sensitive spiral technology and QS3 compression adjusters
Front Suspension	High-clearance dual A-arm with stabilizer bar and 20" (50.8 cm) usable travel, 17" (43.2 cm) wheel travel*
Rear Shocks	2.5" FOX shocks with position-sensitive spiral technology and QS3 compression adjusters
Rear Suspension	Trailing arm and standard-clearance radius rods with stabilizer bar and 22" (55.9 cm) usable travel, 20" (50.8 cm) wheel travel*

EXTERIOR FEATURES

Cargo System	Lock & Ride
Door Type	Half doors
Vehicle Protection	Not equipped
Winch	Not equipped

LIGHTING & ELECTRICAL

Electrical System	High-output 900-W charging system @ 3,000 RPM
Lighting	White LED low/high and red LED tail/brake lights.

COMFORT & CONVENIENCE

Cab Components	Half doors
Drive Modes	Not equipped
Driver Instrumentation	Driver Forward Information Center with 4" color display + rotary speedometer & tachometers, programmable service intervals, speedometer, tachometer, odometer, tripmeter, clock, hour meter, gear indicator, fuel gauge, coolant temperature, voltmeter, service indicator and codes, seat belt reminder light, gear indicator, DC outlet, Polaris P.A.S.S anti-theft system
Electronic Power Steering	High-assist electronic power steering with quick-turn rack
Heat and/or Air Conditioning	Not equipped
Ride Control	Not equipped
Seat Type	Bolstered bucket seats with driver 4-way adjustability (including 6" front-to-back toolless seat slider with tilt adjustability) and passenger tilt adjustability with 3-pt. height-adjustable seatbelts
Speed Limiting	Not equipped
Steering	Standard steering wheel with tilt adjustment